

Health and Safety Policy – Appendix 2

RIDDOR (Reporting of Injury, Disease & Dangerous Occurrences Regulations) Definitions of major injuries, dangerous occurrences and diseases.

Reportable major injuries are:

- Fracture other than to fingers, thumbs, toes
- Amputation
- Dislocation of the shoulder, hip, knee or spine
- Loss of sight (temporary or permanent)
- Chemical or hot metal burn to the eye or any penetrating injury to the eye
- Injury resulting from an electric shock or electrical burn leading to unconsciousness or requiring resuscitation or admittance to hospital for more than 24 hours
- Unconsciousness caused by asphyxia or exposure to harmful substances or biological agent
- Acute illness requiring medical treatment, or loss of consciousness arising from absorption of any substance by inhalation, ingestion or through the skin
- Acute illness requiring medical treatment where there is reason to believe that this resulted from exposure to a biological agent or its toxins or infected material

Reportable dangerous occurrences are:

This list summarises each of the dangerous occurrences

- Collapse, overturning or failure of load-bearing part of lifts and lifting equipment
- Explosion, collapse or bursting of any closed vessel or associated pipe work
- Failure of any freight container in any of its load-bearing parts
- Plant or equipment coming into contact with overhead power lines
- Electrical short circuit or overload causing fire or explosion
- Any unintentional explosion, misfire, failure of demolition to cause the intended collapse, projection of material beyond a site boundary, injury caused by an explosion
- Accidental release of a biological agent likely to cause severe human illness
- Failure of industrial radiography or irradiation equipment to de-energise or return to its safe position after the intended period
- Malfunction of breathing apparatus while in use or during testing immediately before use
- Failure or endangering of diving equipment, the trapping of a diver, an explosion near a diver, or an uncontrolled ascent
- Collapse or partial collapse of a scaffold over five meters high, or erected near water where there could be a risk of drowning after a fall
- Unintended collision of a train with any vehicle
- Dangerous occurrence at a well (other than a water well)
- Dangerous occurrence at a pipe line
- Failure of any load-bearing fairground equipment or derailment or unintended collision of cars or trains
- A road tanker carrying a dangerous substance overturns, suffers serious damage, catches fire or the substance is released
- A dangerous substance being conveyed by road is involved in a fire or released



The following dangerous occurrences are reportable except in relation to offshore workplaces:

- Unintended collapse of: any building or structure under construction, alteration or demolition where over five tonnes of material falls; a wall or floor in a place of work; any false work
- Explosion or fire causing suspension of normal work for over 24 hours
- Sudden, uncontrolled release in a building of: 100kg or more of flammable liquid; 10kg of flammable liquid above its boiling point
- 10kg or more of flammable gas; or 500kg of these substances if the release is in the open air;
- Accidental release of any substance which may damage health

Reportable diseases include:

- Certain poisonings
- Some skin diseases such as occupational dermatitis, skin cancer, chrome ulcer, oil folliculitis/ acne
- Lung diseases including: occupational asthma, farmer's lung, pneumoconiosis, asbestosis, mesothelioma
- Infections such as: leptospirosis; hepatitis; tuberculosis; anthrax; legionellosis and tetanus
- Other conditions such as: occupational cancer; certain musculoskeletal disorders;
- Decompression illness and hand-arm vibration syndrome

This policy has been adopted by Tandridge Village Pre-School Committee.

Signed on behalf of the Pre-School:

Date

This policy will be reviewed: Autumn 2025

(Unless there is a change in legislation or with direct guidance from an educational body)

Staff Signatures:

Date: